

POSTER PRESENTATION

Open Access

A systematic exploration of model-mechanisms for interactions between item- and association-memory in paired-associate learning

Christopher R Madan^{1*}, Jeremy B Caplan^{1,2}

From Nineteenth Annual Computational Neuroscience Meeting: CNS*2010 San Antonio, TX, USA. 24-30 July 2010

Paired-associate learning paradigms are extremely common in memory research; however, memory behaviour in these paradigms relies on both memory for items and for their pairings. We recently developed an experimental paradigm that is able to dissociating effects of itemand association-memory with cued recall [1,2]. Several mathematical modeling frameworks have been applied successfully to PA empirical phenomena. However, our new behavioural results demand that these memory models be developed further, in order to identify loci within the major models where item-level versus association-level effects could materialize. Here we present a systematic approach to modeling item- versus association-memory effects in PA learning, with a specific focus on comparing memory modeling frameworks (including the Matrix model [3,4], TODAM [5], and BSB [6,7]).

Methods

We propose a generative model of PA learning based upon the distributed memory model frameworks proposed by the matrix model [3,4] and convolution-correlation memory models [5] of associative learning. To further define our model we employ the brain-state-ina-box model [6,7] as our deblurring mechanism to increase ecological validity of our model, as opposed to a heuristic such as the winner-take-all choice rule. Here we model how item- and association-memory manipulations may modulate within memory performance in a cued recall task. In particular, we ask whether manipulations of material-type can passively result in stronger associations (i.e., without requiring the participant to

vary their strategy). For example, current modeling results demonstrate how items that are learned stronger during study can result in better association-memory.

This modeling approach represents a framework for a range of PA learning effects that have already been reported (e.g., [1,2]) as well as predicting as-of-yet unobserved patterns. Simulations of how manipulations of material-type can modulate item- and association-memory have not yet been theoretically explored and can have profound implications to current memory models.

Author details

¹Department of Psychology, University of Alberta, Edmonton, AB, Canada T6G 2E9 . ²Centre for Neuroscience, University of Alberta, Edmonton, AB, Canada T6G 2E9.

Published: 20 July 2010

References

- Madan CR, Glaholt MG, Caplan JB: The influence of item properties on association-memory. J Mem Lang, accepted.
- Madan CR, Lau CSM, Caplan JB, Fujiwara E: Emotion and associationmemory., In preparation.
- Anderson JA: Two models for memory organization using interacting traces. Math Biosci 1970, 8:137-160.
- Humphreys MS, Bain JD, Pike R: Different ways to cue a coherent memory system: a theory for episodic, semantic, and procedural tasks. Psychol Rev 1989. 96(2):208-233.
- Murdock BB: A theory for the storage and retrieval of item and associative information. Psychol Rev 1982, 89(6):609-626.
- Anderson JA, Silverstein JW, Ritz SA, Jones RS: Distinctive features, categorical perception and probability learning: some applications of a neural model. Psychol Rev 1977, 84(5):413-451.
- 7. Anderson JA: An introduction to neural networks. MIT Press 1995.

doi:10.1186/1471-2202-11-S1-P93

Cite this article as: Madan and Caplan: A systematic exploration of model-mechanisms for interactions between item- and association-memory in paired-associate learning. *BMC Neuroscience* 2010 11(Suppl 1):

¹Department of Psychology, University of Alberta, Edmonton, AB, Canada T6G 2E9



^{*} Correspondence: cmadan@ualberta.ca