

POSTER PRESENTATION

Open Access

Measuring real-time synchronization in both spike trains and continuous time series

Thomas Kreuz^{1*}, Daniel Chicharro², Ralph GAndrzejak²

From Twentieth Annual Computational Neuroscience Meeting: CNS*2011
Stockholm, Sweden. 23-28 July 2011

A wide variety of approaches to quantify the dissimilarity between two spike trains has been proposed. The Victor-Purpura metric [1] evaluates the cost needed to transform one spike train into the other using only certain elementary steps. Another metric proposed by van Rossum [2] measures the Euclidean distance between the two spike trains after convolution of the spikes with an exponential function. These methods, like many others, involve one parameter that sets the time-scale. In contrast, two more recent approaches, the ISI- and the SPIKE-distance, are parameter free and time-scale adaptive [3-5]. While the ISI-distance relies on the relative length of interspike intervals, the SPIKE-distance is sensitive to spike coincidences. Both measures are easy to visualize in a time-resolved manner and can be applied to more than two spike trains, either as averages over pairwise distances or as truly multivariate measures [6].

The SPIKE-distance is calculated from instantaneous values of spike train dissimilarity for which at each time moment not only the last previous spike but also the first following spike is taken into account. This non-causal dependence on 'future' spiking does not allow for a real-time calculation. Furthermore, the SPIKE-distance is designed to be applied to sequences of discrete events and does not foresee an application to continuous data (such as the electroencephalogram, EEG).

Here we address both issues and present two extensions of the SPIKE-distance. In the first extension the original method is modified such that instantaneous value of dissimilarity for two or more spike trains can be calculated in real-time. In the second extension the SPIKE-distance is transformed into a measure of dissimilarity which can be applied to two or more channels of continuous data. Both variants can also be combined

such that the instantaneous synchronization among continuous time series is monitored in real-time.

Acknowledgements

DC has been supported by grant 2010FI-B2 00079 of the 'Generalitat de Catalunya' and European Social Funds, and RGA by the Ramón y Cajal program.

Author details

¹Institute for Complex Systems, CNR, Sesto Fiorentino, Italy. ²Department of Information and Communication Technologies, Universitat Pompeu Fabra, Barcelona, Spain.

Published: 18 July 2011

References

1. Victor JD, Purpura KP: **Nature and precision of temporal coding in visual cortex: A metric-space analysis.** *J Neurophysiol* 1996, **76**:1310-1326.
2. van Rossum MCW: **A novel spike distance.** *Neural Comput* 2001, **13**:751-763.
3. Kreuz T, Haas JS, Morelli A, Abarbanel HDI, Politi A: **Measuring spike train synchrony.** *J Neurosci Methods* 2007, **165**:151-161.
4. Kreuz T, Chicharro D, Andrzejak RG, Haas JS, Abarbanel HDI: **Measuring multiple spike train synchrony.** *J Neurosci Methods* 2009, **183**:287-299.
5. Kreuz T, Chicharro D, Greschner M, Andrzejak RG: **Time-resolved and time-scale adaptive measures of spike train synchrony.** *J Neurosci Methods* 2011, **195**:92-106.
6. . . , The Matlab source code for calculating and visualizing the ISI- and the SPIKE-distance as well as information about their implementation can be found under <http://www.fi.isc.cnr.it/users/thomas.kreuz/sourcecode.html>.

doi:10.1186/1471-2202-12-S1-P3

Cite this article as: Kreuz et al: **Measuring real-time synchronization in both spike trains and continuous time series.** *BMC Neuroscience* 2011 **12** (Suppl 1):P3.

* Correspondence: thomas.kreuz@cnr.it

¹Institute for Complex Systems, CNR, Sesto Fiorentino, Italy

Full list of author information is available at the end of the article