

POSTER PRESENTATION

Open Access

Effect of Alzheimer's disease on the dynamical and computational characteristics of recurrent neural networks


Claudia Bachmann^{1*}, Tom Tetzlaff¹, Susanne Kunkel^{2,1}, Philipp Bamberger⁴, Abigail Morrison^{1,2,3,4}

From Twenty Second Annual Computational Neuroscience Meeting: CNS*2013
Paris, France. 13-18 July 2013

Recurrent circuits of simple model neurons can provide the substrate for cognitive functions such as perception, memory, association, classification or prediction of dynamical systems [1-3]. In Alzheimer's disease (AD), the impairment of such functions is clearly correlated to synapse loss [4]. So far, the mechanisms underlying this correlation are only poorly understood. Here, we investigate how the loss of excitatory synapses in sparsely connected random networks of spiking excitatory and inhibitory neurons [5] alters their dynamical and computational characteristics. By means of simulations, we study the network response to noisy variations of multi-dimensional spike-train patterns.

We find that the loss of excitatory synapses on excitatory neurons (decrease in excitatory-excitatory indegree; vertical arrow in Figure 1) lowers the network's sensitivity to small perturbations of time-varying inputs, reduces its ability to discriminate and improves its generalization capability [6].

A full recovery of the network performance can be achieved by firing-rate homeostasis, implemented by scaling up the remaining excitatory-excitatory synapses (horizontal arrow in Figure 1). Homeostasis may therefore explain the absence of clinical symptoms in early AD, despite cortical damage. The onset of clinical symptoms may result from an exhaustion of homeostatic resources.



Acknowledgements

Supported by the Helmholtz Alliance on Systems Biology, the Helmholtz Association in the Portfolio theme "Supercomputing and Modeling for the Human Brain", the Jülich Aachen Research Alliance (JARA), EU Grant 269921 (BrainScaleS), the Junior Professor Program of Baden-Württemberg and the Initiative and Networking Fund of the Helmholtz Association.

Author details

¹Inst. of Neuroscience and Medicine (INM-6) and Inst. for Advanced Simulation (IAS-6), Jülich Research Centre and JARA, Germany. ²Simulation Laboratory Neuroscience - Bernstein Facility Simulation and Database Technology, Institute for Advanced Simulation, Jülich Aachen Research Alliance, Jülich Research Centre, Germany. ³Inst. of Cognitive Neuroscience, Faculty of Psychology, Ruhr University Bochum, Germany. ⁴Bernstein Center Freiburg, Albert-Ludwigs University, Freiburg, Germany.

Published: 8 July 2013

* Correspondence: c.bachmann@fz-juelich.de

¹Inst. of Neuroscience and Medicine (INM-6) and Inst. for Advanced Simulation (IAS-6), Jülich Research Centre and JARA, Germany
Full list of author information is available at the end of the article

References

1. Hopfield JJ: *PNAS* 1982, **79**(8):2554-2558.
2. Jaeger H, Haas H: *Science* 2004, **304**:78-80.
3. Maass W, Natschlaegel T, Markram H: *Neural Comput* 2002, **14**(11):2531-2560.
4. Terry RD, Masliah E, Salmon DP, Butters N, DeTeresa R, Hill R, Hansen LA, Katzman R: *Ann Neurol* 1991, **30**(4):572-80.
5. Brunel N: *J Comput Neurosci* 2000, **8**(3):183-208.
6. Legenstein R, Maass W: *Neural Netw* 2007, **20**(3):323-334.

doi:10.1186/1471-2202-14-S1-P282

Cite this article as: Bachmann *et al.*: Effect of Alzheimer's disease on the dynamical and computational characteristics of recurrent neural networks. *BMC Neuroscience* 2013 **14**(Suppl 1):P282.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

