

POSTER PRESENTATION

Open Access

Variable bin size selection for peri-stimulus time histograms (PSTH) with minimum mean square error criteria

SM Heidarieh^{1*}, M Jahed¹, A Ghazizadeh²

From 24th Annual Computational Neuroscience Meeting: CNS*2015
Prague, Czech Republic. 18-23 July 2015

To date the most common method for extracting neuronal responses is by constructing PSTHs that are time locked to task events. Many parameters of interests such as response magnitude, onset and duration are then calculated from the constructed PSTHs. However the precision of PSTH response estimate critically depends on the choice of bin sizes. This dependence demands objective criteria for bin size selection. A seminal study by Shimazaki and Shinomoto [1] derived an optimal cost function for choosing a fixed bin size for a time varying Poisson process. It is easy to see that using a one-size-fit-all recipe for bin sizes will invariably overestimate and underestimate rate changes for fast and slow fluctuations respectively.

Here we extend previous results by calculating the cost function that minimizes mean square error for variable bin sizes with the same assumptions used previously for time varying Poisson processes

$$Cost(N, \vec{\Delta}) = \frac{1}{n^2 T} \sum_{i=1}^N \left(\frac{2k_i - (k_i - \Delta_i \bar{k})^2}{\Delta_i} \right). \text{ To minimize this nonlinear and nonconvex cost function, we utilize an array of methods some of which are widely used for nonlinear optimization, namely: Active set, Simultaneous perturbation stochastic approximation (SPSA), Genetic Algorithm and an approximate heuristic algorithm. Average performance of each algorithm on a typical simulated neuronal firing is calculated using 50 iterations. All methods resulted in a lower cost function compared to fixed bin size as expected. Plotting the final cost vs the algorithm run time shows that the method of 'Active set' overall has the best cost reduction$$

while still being reasonably fast compared to the fixed bin size approach (Figure 1). Further investigation of the properties of this cost function and developing computationally efficient methods for its minimization will be the basis of future work.

Authors' details

¹Electrical Engineering, Sharif University of Technology, Tehran, Iran.

²Laboratory of Sensorimotor Research, National Institutes of Health, Bethesda, MD, USA.




Figure 1 Comparing the costs and time efforts of the algorithms.

* Correspondence: heidarieh@ee.sharif.edu

¹Electrical Engineering, Sharif University of Technology, Tehran, Iran
Full list of author information is available at the end of the article

Published: 18 December 2015

Reference

1. Shimazaki H, Shinomoto S: A method for selecting the bin size of a time histogram. *Neural computation* 2007, **19**(6):1503-1527.

doi:10.1186/1471-2202-16-S1-P80

Cite this article as: Heidarieh *et al.*: Variable bin size selection for peristimulus time histograms (PSTH) with minimum mean square error criteria. *BMC Neuroscience* 2015 **16**(Suppl 1):P80.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

